DESIGN REPORT OF SAFETY DATA SHEET

No.: 220100320412033E Date: Mar.9,2022

Name of the sample	Isoamyl alcohol		
Applicant	Dakings Chemic	cal (Shandong) Co	o., Ltd.
Supplier	Dakings Chemic	cal (Shandong) Co	o., Ltd.
Composition of the sample	Isoamyl alcohol:	: 99%	
Warranty of Design			TEM OF CLASSIFICATION AND
	Design Result	of SDS please se	e next page.
Designer		Approver	

Notes: This SDS is valid before the implementation of the Tenth revised edition GHS.

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised **SDS**

Date: Mar.9,2022 Edition)

Section 1 Product and Company Identification

> Product Identifier

Product Name Isoamyl alcohol

Synonyms

CAS No. 123-51-3 EC No. 204-633-5 Molecular Formula $C_5H_{12}O$

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Please consult manufacturer. Uses

Uses Advised Against Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name Dakings Chemical (Shandong) Co., Ltd.

Application Address Qingdao Qianwan Bonded Port Area, Shandong Pilot Free Trade Zone, China

Applicant Post Code 266400

Applicant Telephone +86-533-6292708 **Applicant Fax** +86-533-6292708

Applicant E-mail sales@dakingschem.com

Supplier Name Dakings Chemical (Shandong) Co., Ltd.

Supplier Address Qingdao Qianwan Bonded Port Area, Shandong Pilot Free Trade Zone, China

Supplier Post Code 266400

Supplier Telephone +86-533-6292708 Supplier Fax +86-533-6292708

Supplier E-mail sales@dakingschem.com

> Emergency Phone Number

Emergency Phone

+86-533-6292708 Number

Section 2 **Hazards Identification**

Hazard class and label elements of the product according to GHS (the ninth revised edition):

> GHS Hazard Class

Flammable Liquids Category 3

Page 2 of 12

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised **SDS** Date: Mar.9,2022 Edition)

Acute Toxicity - Oral Category 4 **Acute Toxicity – Dermal** Category 5

Category 2 Corrosion/Irritation **Eye Damage/Irritation** Category 1 **Acute Toxicity -**

Inhalation

Specific Target Organ

Toxicity (Single

Exposure)

Category 4

Category 3

> GHS Label Elements

Pictogram

Signal Word Danger

> Hazard Statements

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H313 May be harmful in contact with skin

H315 Causes skin irritation

H318 Causes serious eye damage

H332 Harmful if inhaled

H335 May cause respiratory irritation

> Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P210

No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264+P265 Wash hands and other contact area thoroughly after handling. Do not touch eyes.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised SDS Date: Mar.9,2022 Edition)

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Response

P317 Get medical help.

P319 Get medical help if you feel unwell.

P321 Specific treatment (see measures on this label).

P330 Rinse mouth.

P301+P317 IF SWALLOWED:Get medical help.
P302+P317 IF ON SKIN: Get medical help.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P332+P317 If skin irritation occurs; Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use suitable extinguishing medium to extinguish.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected

areas with water [or shower].

P305+P354+P338 IF IN EYES:Immediately rinse with water for several minutes.Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/ international

regulations.

Section 3 Composition/Information on Ingredients

ComponentCAS No.EC No.Concentration (weight percent, %)Isoamyl alcohol123-51-3204-633-599

Section 4 First Aid Measures

> Description of First Aid Measures

General Advice Immediate medical attention is required. Show this safety data sheet (SDS) to the

doctor in attendance.

Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if

feel uncomfortable.

Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with plenty of water

for at least 15 minutes and consult a physician if feel uncomfortable.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. Call

Page 4 of 12

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised SDS Date: Mar.9,2022 Edition)

a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to Inhalation

mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give

artificial respiration and consult a physician immediately.

Ensure that medical personnel are aware of the substance involved. Take precautions **Protecting of**

First-aiders to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 **Fire Fighting Measures**

> Extinguishing Media

Suitable Extinguishing

Media

Dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable

Extinguishing Media

Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 Will form explosive mixtures with air.
- Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.
- 3 Vapours may travel to source of ignition and flash back.
- 4 Liquid and vapour are flammable.
- 5 Containers may explode when heated.
- **6** Fire exposed containers may vent contents through pressure relief valves.
- 7 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- **2** Fight fire from a safe distance, with adequate cover.
- Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 **Accidental Release Measure**

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised SDS Date: Mar.9,2022 Edition)

> Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Avoid breathing vapors and contacting with skin and eye.
- 2 Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- 5 Ensure adequate ventilation. Remove all sources of ignition.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- 1 Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- 3 To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- **6** Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- 8 Keep away from heat/sparks/open flames/ hot surfaces.
- **9** Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised

SDS Date: Mar.9,2022 Edition)

Section 8 **Exposure Controls/Personal Protection**

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Dogion	Limit Value	- Eight Hours	Limit Value	e - Short Term
Component	Country/Region	ppm	mg/m³	ppm	mg/m³
	USA - OSHA	100	360	-	-
	South Korea	100	360	125	450
Isoamyl alcohol	Ireland	100	360	125	450
123-51-3	Germany (DFG)	20	73	80	292
	Denmark	100	360	200	720
	Australia	100	361	125	452

Biological Limit Values

No information available

Monitoring Methods

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to EN **Hand Protection**

374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are experienced, use **Respiratory protection**

a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387)

respirator cartridges.

Skin and **Body**

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 **Physical and Chemical Properties**

Appearance: colourless transparent liquid **Odor:** No information available Odor Threshold: No information available pH: No information available

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised

SDS Date: Mar.9,2022 Edition)

Melting Point/Freezing Point (°C): -147 Initial Boiling Point and Boiling Range (℃): 131 Evaporation Rate: No information available

Flash Point (°C)(Closed Cup): 42

Upper/lower explosive limits[%(v/v)]: Upper limit: 10.5; Flammability: Not applicable Lower limit: 1.2

Vapor Pressure (KPa): 3hpa (20°C) Relative Vapour Density(Air=1): 3.0 Relative Density(Water=1): 0.81 Solubility: Partly miscible with water

n-Octanol/Water Partition Coefficient: 1.28 Auto-Ignition Temperature(°C): 350

Decomposition Temperature (°C): No information

available

Particle characteristics: Not applicable

Kinematic Viscosity (mm²/s): No information available

Section 10 **Stability and Reactivity**

Reactivity Contact with incompatible substances can cause decomposition or other chemical

reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of Hazardous

Reactions

No information available

Conditions to Avoid Incompatible materials, heat, flame and spark.

Incompatible Materials No information available

Hazardous Under normal conditions of storage and use, hazardous decomposition products

Decomposition products should not be produced.

Section 11 **Toxicological Information**

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
Isoamyl alcohol	123-51-3	1300mg/kg(Rat)	3210mg/kg(Rabbit)	No information available

> Skin Corrosion/Irritation

Causes skin irritation(Category 2)(Isoamyl alcohol)

> Serious Eye Damage/Irritation

Causes serious eye damage(Category 1)(Isoamyl alcohol)

> Skin Sensitization

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised

SDS Date: Mar.9,2022 Edition)

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	123-51-3	Isoamyl alcohol	Not Listed	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

May cause respiratory irritation(Category 3)(Isoamyl alcohol)

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 **Ecological Information**

> Acute Aquatic Toxicity

No information available

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and **Degradability Bioaccumulative Potential**

No information available

No information available

Page 9 of 12

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised

SDS Date: Mar.9,2022 Edition)

Mobility in Soil No information available

Results of PBT and Isoamyl alcohol does not meet the criteria for PBT and vPvB according to Regulation **vPvB** Assessment

(EC) No 1907/2006, annex XIII.

Disposal Considerations Section 13

Waste Chemicals Contaminated **Packaging** Disposal Recommendations Before disposal should refer to the relevant national and local laws and regulation. Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to Waste chemicals and Contaminated packaging.

Section 14 Transport Information

Transporting Label



Marine pollutant No **UN Number** 1105

UN Proper Shipping

Name **Transport Hazard Class**

Transport Subsidiary

Hazard Class

PENTANOLS

NONE

3

Packing Group Ш

Section 15 **Regulatory Information**

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Isoamyl alcohol	√	√	√	√	√	√	√	√	√

European Inventory of Existing Commercial Chemical Substances. [EINECS]

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

(KECI) Existing and Evaluated Chemical Substances. (AICS) Australia Inventory of Chemical Substances. [ENCS] Existing And New Chemical Substances.

Page 10 of 12

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised

SDS Date: Mar.9,2022 Edition)

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

[&]quot;x" That no data or included in the regulations

	Section 16	Additional Information
Creation Date	Mar.9,2022	
Revision Date	Mar.9,2022	
Reason for Revision	-	

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 9th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

SAFETY DATA SHEET

No.: 220100320412033E

Warranty of Design: GHS (Ninth Revised SDS Date: Mar.9,2022

Edition)

Terms of the Using of the Report

- The report is issued by CCIC according to the information of the chemicals and the information of its shipping provided by the applicant (shipper or his agent).
- 2. According to the demand of this SDS, CCIC requires the applicant to provide true and exact sample and data.
- 3. Information from applicant is the key of this SDS, so CCIC will not respond for the wrong of applicant.
- 4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
- 5. This report will be effective only after it is signed by the inspector, approver and stamped by CCIC.
- 6. CCIC guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
- 7. The partly duplicating of this report is prohibited without the written approver of CCIC.
- 8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.